LX:	
\sim	
17	
v	
•	

	Application No.	Applicant(s)
	10/618,843	ANNEQUIN, SEBATIEN
Notice of Allowability	Examiner	Art Unit
	Truc T. T. Nguyen	2833
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. $igtimes$ This communication is responsive to $the amendment filed$	on 6/23/04 and the interview on 9/3/	<u>′04</u> .
2. ⊠ The allowed claim(s) is/are <u>1-13</u> .		
3. $igotimes$ The drawings filed on <u>14 July 2003</u> are accepted by the Ex	raminer.	
4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 1. Cepies of the certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 4. Certified copies not received:	been received. been received in Application No cuments have been received in this of this communication to file a reply ENT of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declarate to be submitted. son's Patent Drawing Review (PTO- as Amendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL resist of BIOLOGICAL MATERIAL resist of BIOLOGICAL MATERIAL resisted in the design of the second of the s	national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF ation is deficient. 948) attached Office action of the back) of d). must be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amendr	te <u>9/3/04</u> .

Application/Control Number: 10/618,843 Page 2

Art Unit: 2833

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Cornman on September 3, 2004.

The application has been amended as follows:

- Please cancel claims 14-16.
- 2. Claims 1-13 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Truc T. T. Nguyen whose telephone number is 571-272-2011.

The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley can be reached on 571-272-2800 extension 33. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 2833

applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Truc T. T. Nguyen Primary Examiner Art Unit 2833